



Ventilated refrigerated display cabinet for chocolate - fixed grids

Ref : RDC F

Technical sheet refrigerated display cabinet RDC60FI DT87 1 Ind A

If you c[.opdnft 1in,0u5e M tBo] browse this website, you are allowing all third-party services

OK, accept all

Deny all cookies

[Personalize Privacy policy](#)

The ventilated refrigerated display cabinet RDC 60 F is specially designed for the

presentation of chocolates, pralines, chocolate desserts in your restaurant or bakery.



Description

Highlight and at the right temperature your chocolate desserts in the ventilated refrigerated display cabinet with fixed grids!

Panoramic and equipped with 4 LED lighting, the ventilated refrigerated display cabinet RDC 60 F showcases your chocolates, pralines and all your chocolate-based desserts such as the black forest cake.

Your pastries and culinary creations are presented on 5 fixed grids of dimensions

535

x 495 mm and adjustable on 7 levels.

The vertical showcase RDC 60 F is equipped with a very efficient cold system.

The ventilated refrigeration system ensures a homogeneous temperature of +14 to + 17 ° C with a hygrometry of 50% essential for the presentation of chocolates at the right temperature.

The evaporator placed in the upper part guarantees a homogeneous cold in the whole refrigerated display cabinet.

The electronic thermostat allows automatic defrosting every 2 hours.

Perfectly insulated, this vertical showcase with positive cold is equipped with double glazed walls.

All refrigerated pastry display cabinets are

equipped with a defrosting system. If you are allowing all third-party services to access the cabinet, you are allowing all third-party services to access the cabinet.


Features: electronic thermostat control, 4 LED ramps, magnetic closing door, double glazing, Tecumseh FRANCE compressor, R290 gas. Tropicalized showcase mounted on 4 double wheels. Available in 2 colors: stainless steel or black.

Option: micro-hole glazing for use in the mountains.

Technical characteristics



Inside dimensions	545 x 545 x 1200
Volume	mm
Power	360 l
Outside dimensions	0,43 kW
Weight	600 x 630 x 1850
volts	mm 130 kg
	230 V



Complementary Products

If you continue to browse this website,
you are allowing us to use third-party services

RD 60 F

4/27/24, 11:13 AM

Vertical refrigerated display cabinets : Ventilated refrigerated display cabinet for chocolate - fixed grids

Ventilated refrigerated display cabinet for chocolate – turning glass plates



Ventilated positive display cabinet - Glass shelves

RD 600

ROLLER GRILL INTERNATIONAL S.A.S
16, rue Saint-Gilles
28800 Bonneval (France)
Tel. : +33 (0)2 37 44 67 67
Fax : +33 (0)2 37 96 20 09
rollergrill@roller-grill.com

Powered By T3 Framework Tribu and Co

If you continue to browse this website,
you are allowing all third-party services